




Item	Reference number	Qty	Designation		Characteristics
000	B30.19500-0142	001	St	adjustment - pin-type folding cylinder	
002	K06.02094-0610	005	St	fillister-head screw	Verstellung Punktfalzzylinder
003	E30.19576-0106	001	St	shaft	Zylinderschraube
004	K06.31489-0058	002	St	angular contact ball bearing	Welle
005	F30.19599-0014	001	St	spacing sleeve	Schräggugellager
007	E30.19599-0009	001	St	ring	Distanzhülse
008	K06.02106-0201	006	St	fillister-head screw	Ring
009	D30.19578-0007	001	St	parallel helical gear wheel	Zylinderschraube
010	K30.97028-1512	002	St	angular contact ball bearing	Schrägzahnnstirnrad
011	E30.19599-0012	001	St	spacing sleeve	Schräggugellager
012	K06.33010-0402	001	St	needle bearing	Distanzhülse
013	K06.29019-0273	001	St	snap ring	Nadellager
014	E30.19599-0010	001	St	ring	Sprengring
015	K06.02106-0201	006	St	fillister-head screw	Ring
016	E30.19599-0011	001	St	ring	Zylinderschraube
017	K06.02106-0201	006	St	fillister-head screw	Ring
018	D30.19578-0024	001	St	parallel helical gear wheel	Zylinderschraube
019	F30.19598-0001	001	St	washer	Schrägzahnnstirnrad
020	K06.02106-0303	010	St	fillister-head screw	Scheibe
021	K30.97014-0004	001	St	geardrive mounting set	Zylinderschraube
022	K06.02094-0512	012	St	fillister-head screw	Getriebeeinbausatz
023	F30.20399-0110	001	St	ring	Zylinderschraube
024	K06.02095-0712	008	St	fillister-head screw	Ring
025	E30.19576-0107	001	St	shaft	Zylinderschraube
026	K06.29070-2510	001	St	feather key	Welle
027	K06.00551-0504	001	St	washer	Passfeder
028	K06.01283-3111	001	St	hexagon head screw	Scheibe
029	K06.16760-0126	001	St	pair of lock washers	Sechskantschraube
030	F30.19599-0013	001	St	ring	Sicherungsscheibenpaar
031	F30.19588-0001	001	St	cap	Ring
032	K06.00040-0003	001	St	radial shaft sealing ring	Deckel
033	K06.02094-0203	003	St	fillister-head screw	Radialwellendichtring
034	K06.31480-4873	001	St	angular contact ball bearing	Zylinderschraube
035	F92.34515-0583	001	St	bush	Schräggugellager
036	K06.04610-8303	003	St	oval-head flange screw	Buchse
037	E30.19578-0011	001	St	straight spur gear wheel	Linsenflanschscharbe Geradzahnnstirnrad
REGIOMAN				adjustment - pin-type folding cylinder	B30.19500-0142
5040097 // 1011503				Verstellung Punktfalzzylinder	B30.19500-0142
					FW
					15.07.2010
					4/5

Item	Reference number	Qty	Designation	Characteristics
038	K30.97035-1101	001	clamping set	Spannsatz
039	K06.02094-0307	003	fillister-head screw	Zylinderschraube
040	E30.19578-0015	001	straight spur gear wheel	Geradzahnstirnrad
041	F30.19593-0006	004	stay bolt	Stehbolzen
042	K06.02094-0203	004	fillister-head screw	Zylinderschraube
044	K06.06156-0304	001	threaded pin	Gewindestift
045	E30.19578-0020	001	straight spur gear wheel	Geradzahnstirnrad
046	K07.97633-8231	001	potentiometer	Potentiometer
047	E30.19501-0111	001	plate	Platte
048	F30.19522-0003	002	strip	Leiste
049	K06.02094-0309	002	fillister-head screw	Zylinderschraube
050	B30.19515-0001	001	guard	Schutz
054	K06.04610-8303	005	oval-head flange screw	Linsenflanschschraube
055	K06.04610-8403	002	oval-head flange screw	Linsenflanschschraube
056	F30.48591-0001	001	shield	Schild
058	K06.16760-0107	005	pair of lock washers	Sicherungsscheibenpaar
059	K06.04610-8303	004	oval-head flange screw	Linsenflanschschraube
100	B30.19528-0106	001	bearing	Lager
101	B30.19507-0001	001	pipe	Rohr
102	C30.19588-0013	001	cap	Deckel
103	K06.02094-0405	012	fillister-head screw	Zylinderschraube
201	E30.19578-0012	001	straight spur gear wheel	Geradzahnstirnrad
202	E30.19578-0013	001	straight spur gear wheel	Geradzahnstirnrad
203	K06.06156-0203	001	threaded pin	Gewindestift
210	E30.19578-0014	001	straight spur gear wheel	Geradzahnstirnrad
211	K07.96303-8070	001	geared motor	Getriebemotor
220	E30.19501-0110	001	motor plate	Motorplatte
221	K06.02094-0205	002	fillister-head screw	Zylinderschraube
500	F30.19599-0015	001	spacer	Distanzring
600	F30.19599-0016	001	sealing ring	Dichtring
REGIONMAN 5040097 // 1011503				B30.19500-0142 B30.19500-0142
adjustment - pin-type folding cylinder Verstellung Punkturnfalzylinder				FW 15.07.2010 5/5